



<https://cloudblue.com>

AppDirect 

Configuration Instructions



This article has been generated from the online version of the catalog and might be out of date. Please, make sure to always refer to the online version of the catalog for the up-to-date information.

Auto-generated at December 18, 2025



In order to successfully deploy the AppDirect extension, it is required to provide your Connect data to the extension, configure your AppDirect product, and provide your product parameters and credential data to the extension.

The following outlines prerequisites and showcases how to perform all necessary configurations to implement the integration:

Product Model Preparation

First of all, it is required to determine the product model that it is necessary to publish on AppDirect. This model can vary depending on your marketing and sale strategy. Nevertheless, it is generally required to prepare the following data:

- **Provider Account ID:** Represents your Distributor account identifier on Connect (e.g., *PA-123-456*).
- **Provider Token:** Your Connect API Key/Handle token that should be created for AppDirect.
- **Contact Information:** Your address/contacts or Top Tier ID in case you already have production subscriptions for the hub.
- **Hub and Marketplace IDs:** Identifiers of your Connect Hub and Marketplace that should be created for AppDirect.
- **Product ID:** Identifier for your product on the Connect platform (e.g., *PRD-123-456-789*).
- **Connect Items IDs and specifications:** Represent identifiers and the type of your items (*reservation* or *pay-as-you-go*).
- **Marketing Materials:** Make sure that your marketing team prepared all required marketing materials for your product.
- **Price Model:** Ensure that your product price model is consolidated with your sales team.
- **Item Quantity:** Provide this specification in case it is applicable for your product.
- **Unit Type:** Specify types for your item unit on the AppDirect platform.
- **AppDirect Marketplace URL:** Prepare a link to your AppDirect Marketplace.

Once your product model is defined and all prerequisites are met, you can start configuring the AppDirect extension.

Extension Configuration

Follow the steps below to initiate the extension configuration:

1. Create an Account instance in the AppDirect extension and specify your **Provider Account ID** along with your **Provider Token**.
2. Create a Hub instance in the extension and specify your **Hub** and **Marketplace IDs** along with your **AppDirect Marketplace URL**.
3. Generate a random username (should be unique; min. length: 40) and password (min. length: 100; with min one capital character, one small character, one digit, and one special character).
4. Create a Product instance with Connect **Product ID**. Make sure that this product is associated with your provided account, hub, and other identifiers.
5. Create an Item instance for each Product Item with your required **ID**, **AppDirect Unit Type**, and included **Item Quantity**.
6. Create a Tier Details instance with required **Contact Information**.

Make sure to save the following output data for further operations:

- **Integration URL:** For example, `https://appdirect.{env}/appdirect/products/{product_id}/event/process/`
- **AppDirect Outbound Credentials:** Name and password that are generated on step 3

In case all of the aforementioned specifications are provided, it is required to configure your product on AppDirect and then



finalize your extension configuration as described below.


AppDirect Product Configuration

Create a new AppDirect Product with your marketing details and other required product data. The following steps contain instructions that showcase how to successfully implement the integration:

1. Specify the parameters on the *Manage Pricing* page as follows:

- **Edition Code:** Specify your Connect Global Item ID.
- **Restrictions:** Check required restrictions according to your Vendor specifications.

2. Manage the order parameter via the *Edit Integration* section. Namely, click the **Add Required Info** button to specify required order parameters by using the following form:



DEV TEST PRODUCT

Product Dashboard

Profile Progress 33%

Direct Billing 50%

[Publish](#) [Preview](#)

PROFILE & BRANDING

Listing Info

Profile

► Features 0

Customers & Media

Support

Resources

EDITIONS AND PRICING

► Editions 2

Shared Features & Footnotes

INTEGRATION

Credentials

Edit Integration

Edit Integration

SUBSCRIPTIONS

Subscription Create Notification URL ?

☐ This is an interactive endpoint

Add Required Info

Subscription Change Notification URL ?

☐ Additional product settings required during checkout


Subscription Cancel Notification URL ?

Subscription Status Notification URL ?

☐ Enable upcoming invoice notification

Get Subscription Status URL ?

[Go To Technical Doc →](#)



Product Settings

☐ Validation and error messaging ?

Form Content

* Form Title ?

Add form title

Form Description ?

☐ Only show this form when selected by customer ?

Text Field

* Input Code ?

Connect parameter ID

☐ Show input for each add-on unit ?

Input Title

Add parameter title

Input Descriptor

Add parameter hint

[Add Another Text Field](#) [Add Another Dropdown Field](#)

[Add Another Form](#)

- **Form Title:** Add your form title that is displayed to your customers during the order process.
- **Input Code:** Specify your parameter ID that is displayed on Connect.
- **Input Title:** Provide parameter title that is displayed on Connect.
- **Input Descriptor:** Specify your parameter hint by using this field.



3. Switch back to the **Edit Integration** section and provide your aforementioned **Integration URL**. Paste its value as your *Subscription Create/Change/Cancel Notification URL*:

DEV TEST PRODUCT

Product Dashboard

Profile Progress 33%

Direct Billing 50%

[Publish](#) [Preview](#)

PROFILE & BRANDING

Listing Info

Profile

► Features 0

Customers & Media

Support

Resources

EDITIONS AND PRICING

► Editions 2

Shared Features & Footnotes

INTEGRATION

Credentials

Edit Integration

Edit Authentication

Edit Integration

SUBSCRIPTIONS

Subscription Create Notification URL ?

https://0907-223-187-179-196.ngrok.io/appdirect/products/PRD-7

☐ This is an interactive endpoint

[Add Required Info](#)

Subscription Change Notification URL ?

https://0907-223-187-179-196.ngrok.io/appdirect/products/PRD-7

☐ Additional product settings required during checkout

Subscription Cancel Notification URL ?

https://0907-223-187-179-196.ngrok.io/appdirect/products/PRD-7

Subscription Status Notification URL ?

e.g. http://www.yourapp.com/subscription/status/notification

☐ Enable upcoming invoice notification

Get Subscription Status URL ?

e.g. http://www.yourapp.com/subscription/status

[Go To Technical Doc](#)

4. Access the Credentials section to start working with your inbound and outbound credentials:

DEV TEST PRODUCT

Product Dashboard

Profile Progress 33%

Direct Billing 50%

[Publish](#) [Preview](#)

PROFILE & BRANDING

Listing Info

Profile

► Features 0

Customers & Media

Support

Resources

EDITIONS AND PRICING

► Editions 2

Shared Features & Footnotes

INTEGRATION

Credentials

Edit Integration

Edit Authentication

Events

Accounts

Integration Report 33%

SETTINGS

Product Settings

Credentials

Authorization type

Separate Credentials

Distinct credentials are used to secure distribution event notifications and incoming API requests for your product integration.

INBOUND CREDENTIALS (OAuth 2.0)

Use the client ID and secret to request an OAuth 2.0 access token that can be used to secure incoming API requests for your product integration (for example, to retrieve details of an event).

Client ID

31cfs4dgt [Copy](#)

Client identifier used to request an OAuth 2.0 access token.

Client secret

Client secret used to request an OAuth 2.0 access token.

Creation Date: 3/15/2022 1:54 PM

[Regenerate ID and Secret](#) [Generate Inbound Client ID and Secret](#)

[Go To Technical Doc](#)

OUTBOUND CREDENTIALS

Define the credentials configuration used to secure event notifications sent to your configured distribution endpoints.

Type

Basic Authentication

Username

A3sYwRUGv [Add outbound username](#)

Basic authentication username

Password

[Add outbound password](#)

Basic authentication password

[Save](#)

- **Regenerate ID and Secret:** Use this option to create your Inbound Client ID and Secret for inbound API calls.
- **Username:** Type your outbound username that is specified earlier.
- **Password:** Provide your outbound password that is generated with your username.



Make sure to save the following output data for further operations:

- **AppDirect Inbound Client ID and Secret**
- **AppDirect Product ID**

Updating Extension Configuration

Once your AppDirect product configuration is completed, provide the following values to the AppDirect extension:

1. **Client ID & Secret:** Update your Product instance created during the Extension Configuration with your previously generated *Inbound Client ID* and *Secret*.
2. **AppDirect Product ID:** Update your Product instance created during the Extension Configuration with your Product ID from AppDirect.

As a result, your extension configuration will be successfully finalized. It is possible to test out your integration via the **Integration Events** tab on the AppDirect platform.